

Comsol 200 ND

SDS Revision Date (mm/dd/yyyy): 11/07/2024

Page 1 of 11

SAFETY DATA SHEET

SECTION 1. IDENTIFICATION

Product identifier used on the label

: **Comsol 200 ND**

Other means of identification : Not available.

Recommended use of the chemical and restrictions on use

: Solvent
Use pattern: Professional Use Only
Restriction on use: None known

Chemical family : Hydrocarbons

**Name, address, and telephone number
of the supplier:**

Comet Chemical Company Ltd.

3463 Thomas Street
Innisfill, ON, Canada
L9S 3W4

Supplier's Telephone # : (705) 436-5580

24 Hr. Emergency Tel # : GFL Environmental - 1-888-772-2543

**Name, address, and telephone number of
the manufacturer:**

Refer to supplier

SECTION 2. HAZARDS IDENTIFICATION

Classification of the chemical

Straw coloured liquid. Petroleum odour.

Most important hazards: Suspected of causing cancer. May be fatal if swallowed and enters airways. Causes damage to organs.

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Hazard classification:

Carcinogenicity - Category 2

Aspiration Toxicity - Category 1

Specific target organ toxicity, single exposure - Category 1

Specific target organ toxicity, single exposure - Category 3 (narcotic effects)

Specific target organ toxicity, single exposure - Category 3 (respiratory tract irritation, CNS)

Label elements

Hazard pictogram(s)



Signal Word

DANGER!

Comsol 200 ND

SDS Revision Date (mm/dd/yyyy): 11/07/2024

Page 2 of 11

SAFETY DATA SHEET

Hazard statement(s)

Suspected of causing cancer.
 May be fatal if swallowed and enters airways.
 Causes damage to organs.
 May cause respiratory irritation.
 May cause drowsiness or dizziness.

Precautionary statement(s)

Obtain special instructions before use.
 Do not handle until all safety precautions have been read and understood.
 Do not breathe fumes, mists or vapours.
 Do not eat, drink or smoke when using this product.
 Use only outdoors or in a well-ventilated area.
 Wear protective gloves/clothing and eye/face protection.

 IF exposed or concerned: Get medical attention/advice.
 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
 Do NOT induce vomiting.
 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 Call a POISON CENTER or doctor/physician if you feel unwell.

Store in a well-ventilated place. Keep container tightly closed.
 Store locked up.

Dispose of contents/container in accordance with local regulation.

Other hazards

Other hazards which do not result in classification:

Direct skin contact may cause slight or mild, transient irritation. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Direct eye contact may cause slight or mild, transient irritation. Burning produces obnoxious and toxic fumes.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance

<u>Chemical name</u>	<u>Common name and synonyms</u>	<u>CAS #</u>	<u>Concentration (% by weight)</u>
Petroleum naphtha	Heavy Aromatic Naphtha	64742-94-5	95
2-Methyl naphthalene	Not available.	91-57-6	1.0 - 5.0
1-Methylnaphthalene	Not available.	90-12-0	1.0 - 5.0
Naphthalene	Naphthalin Tar camphor	91-20-3	<1

SECTION 4. FIRST-AID MEASURES

Description of first aid measures

Ingestion : Call a physician or poison control centre immediately. Induce vomiting ONLY under the direct supervision of qualified medical personnel or a poison control centre. Never give anything by mouth to an unconscious person.
Inhalation : Immediately remove person to fresh air. If breathing has stopped, give artificial respiration. Get medical attention if symptoms persist.
Skin contact : Immediately flush with plenty of water, while removing contaminated clothing. If irritation persists, seek prompt medical attention. Launder clothing before reuse.

Comsol 200 ND

SDS Revision Date (mm/dd/yyyy): 11/07/2024

Page 3 of 11

SAFETY DATA SHEET

Eye contact : Immediately flush eye(s) with plenty of water. After initial flushing, remove any contact lenses if worn, and continue flushing for at least 5 to 10 minutes. If irritation persists, seek prompt medical attention.

Most important symptoms and effects, both acute and delayed

: Aspiration hazard. Aspiration into the lungs during swallowing or subsequent vomiting may cause chemical pneumonitis, which can be fatal. May cause respiratory irritation. Symptoms may include sore throat, running nose and shortness of breath. Direct eye contact may cause slight or mild, transient irritation. May cause drowsiness or dizziness. May cause headache, nausea, dizziness and other symptoms of central nervous system depression. Suspected of causing cancer. Contains material which may cause adverse blood system effects. Direct skin contact may cause slight or mild, transient irritation. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Indication of any immediate medical attention and special treatment needed

: Treat symptomatically. Aspiration hazard. This product is a CNS depressant.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media

: Use media suitable to the surrounding fire such as water fog or fine spray, alcohol foams, carbon dioxide and dry chemical.

Unsuitable extinguishing media

: Do not use a solid water stream as it may scatter and spread fire.

Special hazards arising from the substance or mixture / Conditions of flammability

: Burning produces obnoxious and toxic fumes. Vapors are heavier than air and will settle and collect in low areas and pits, displacing breathing air.

Flammability classification (OSHA 29 CFR 1910.106)

: Not flammable.

Hazardous combustion products

: Carbon oxides, formaldehyde and other irritating fumes and smoke.

Special protective equipment and precautions for firefighters

Protective equipment for fire-fighters

: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Do not enter without wearing specialized protective equipment suitable for the situation. Firefighter's normal protective clothing (Bunker Gear) will not provide adequate protection. A full-body encapsulating chemical protective suit with positive pressure self-contained breathing apparatus (NIOSH approved or equivalent) may be necessary.

Special fire-fighting procedures

: Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment including self-contained breathing apparatus. Refer to Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION, for additional information on acceptable personal protective equipment.

Environmental precautions : Ensure spilled product does not enter drains, sewers, waterways, or confined spaces. If necessary, dike well ahead of the spill to prevent runoff into drains, sewers, or any natural waterway or drinking supply.

Comsol 200 ND

SDS Revision Date (mm/dd/yyyy): 11/07/2024

Page 4 of 11

SAFETY DATA SHEET

Methods and material for containment and cleaning up

- : Ventilate the area. Stop spill or leak at source if safely possible. Dike for water control. Use only non-sparking tools. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13).

Special spill response procedures

- : In Canada: For 24-hour emergency assistance, call: 1-613-996-6666 (CANUTEC).
US CERCLA Reportable quantity (RQ): See section 15.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

- : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/clothing and eye/face protection. Keep away from heat and open flames. - No smoking. Use with adequate ventilation. Do not breathe mist or vapor. Avoid contact with eyes, skin and clothing. Wash with soap and water after handling. Do not eat, drink or smoke when using this product. Keep containers tightly closed when not in use. Empty containers retain residue (liquid and/or vapour) and can be dangerous.

- Conditions for safe storage** : Store in a cool, dry, well-ventilated area. Store locked up. Store away from areas of excessive heat, open flames, sparks, and other possible sources of ignition. Keep away from incompatibles. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks.

- Incompatible materials** : Strong oxidizers (e.g. Chlorine, Peroxides, etc.).

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

<u>Exposure Limits:</u>			
<u>Chemical Name</u>	<u>ACGIH TLV</u>		<u>OSHA PEL</u>
	<u>TWA</u>	<u>STEL</u>	<u>PEL</u> <u>STEL</u>
Petroleum naphtha	N/Av	N/Av	500 ppm (as petroleum distillates, naphtha) N/Av
2-Methyl naphthalene	0.5 ppm	N/Av	N/Av N/Av
1-Methylnaphthalene	0.5 ppm	N/Av	N/Av N/Av
Naphthalene	10 ppm (skin)	N/Av	10 ppm (50 mg/m ³) N/Av

Exposure controls

Ventilation and engineering measures

- : Use sufficient mechanical ventilation to maintain exposures below the TLV. Use local exhaust if mist or spray is generated.

Respiratory protection

- : Respiratory protection is required if the concentrations exceed the TLV. NIOSH-approved respirators are recommended. Seek advice from respiratory protection specialists. Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with OSHA (29 CFR 1910.134) or CSA Z94.4-02.

Skin protection

- : Wear protective gloves/clothing. Advice should be sought from glove suppliers.

Eye / face protection

- : Wear eye/face protection. Wear safety glasses with side shields (or goggles).

Comsol 200 ND

SDS Revision Date (mm/dd/yyyy): 11/07/2024

Page 5 of 11

SAFETY DATA SHEET

Other protective equipment : Emergency showers and eyewash facilities should be nearby. Wear a chemically resistant apron and long sleeves when dispensing, to prevent skin contact.

General hygiene considerations

- : Do not breathe fumes, mists or vapours. Avoid contact with eyes, skin and clothing. When using do not eat or drink. When using do not smoke. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove soiled clothing and wash it thoroughly before reuse.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State : Liquid.
Colour : Straw
Odour : Petroleum odour.
Odour threshold : N/Av
pH : N/Av
Melting Point/Freezing point : Not available.

Initial boiling point and boiling range

: 232-296°C
Flash point : >93°C
Flashpoint (Method) : closed cup
Evaporation rate (BuAe = 1) : N/Av
Flammability : Not applicable.
Lower explosion or flammability limit (% by vol.) : Not available.

Upper explosion or flammability limit (% by vol.)

: Not available.
Oxidizing properties : None known.
Explosive properties : Not explosive
Vapour pressure : <1 mmHg
Relative vapour density : (Air = 1) 4.5

Relative density / Specific gravity

: 0.97-1.01
Solubility in water : Insoluble.
Other solubility(ies) : Soluble in most organic solvents.

Partition coefficient: n-octanol/water or Coefficient of water/oil distribution

: Not available.
Auto-ignition temperature : 455°C (851°F)
Decomposition temperature : Not available.
Viscosity : <20 cST
Particle characteristics : Not applicable.
Volatiles (% by weight) : No information available.

Volatile organic Compounds (VOC's)

: 100%

Absolute pressure of container

: N/Av
Flame projection length : N/Av

Other physical/chemical comments

- : None known or reported by the manufacturer.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not normally reactive.

Comsol 200 ND

SDS Revision Date (mm/dd/yyyy): 11/07/2024

Page 6 of 11

SAFETY DATA SHEET

- Chemical stability** : Stable under normal conditions.
- Possibility of hazardous reactions** : No dangerous reaction known under conditions of normal use.
- Conditions to avoid** : Avoid excessive heat, sparks and open flame. Do not use in areas without adequate ventilation. Avoid contact with incompatible materials.
- Incompatible materials** : Strong oxidizers.
- Hazardous decomposition products** : None known, refer to hazardous combustion products in Section 5.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

- Routes of entry inhalation** : YES
- Routes of entry skin & eye** : YES
- Routes of entry Ingestion** : YES
- Routes of exposure skin absorption** : YES

Potential Health Effects:

Signs and symptoms of short-term (acute) exposure

Sign and symptoms Inhalation

- : May cause respiratory irritation. Symptoms may include sore throat, running nose and shortness of breath. May cause drowsiness or dizziness. May cause headache, nausea, drowsiness or other effects on the central nervous system.

Sign and symptoms ingestion

- : May be harmful if swallowed. Ingestion can cause gastrointestinal irritation, nausea, and diarrhea. Aspiration hazard. Aspiration into the lungs during swallowing or subsequent vomiting may cause chemical pneumonitis, which can be fatal.

Sign and symptoms skin

- : Direct skin contact may cause temporary redness.

Sign and symptoms eyes

- : Direct contact with eyes may cause temporary irritation.

Potential Chronic Health Effects

- : Symptoms may include redness, edema, drying defatting and cracking of the skin.

Mutagenicity

- : Not expected to be mutagenic.

Carcinogenicity

- : This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015). Classification Carcinogenicity - Category 2 Suspected of causing cancer. Contains Naphthalene. Naphthalene is classified as carcinogenic by IARC (Group 2B) and NTP (Group 2 - Reasonably anticipated).

Reproductive effects & Teratogenicity

- : Not expected to cause reproductive effects.

Sensitization to material

- : Not expected to be a skin or respiratory sensitizer.

Comsol 200 ND

SDS Revision Date (mm/dd/yyyy): 11/07/2024

Page 7 of 11

SAFETY DATA SHEET

Specific target organ effects : This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015). Classification:
Specific Target organ toxicity, repeated exposure - Category 1
Specific target organ toxicity, single exposure - Category 3 (narcotic effects)
Specific target organ toxicity, single exposure - Category 3 (respiratory)
May cause damage to organs. (blood)
May cause respiratory irritation. May cause drowsiness or dizziness.

Not classified as a specific target organ toxicity - repeated exposure.

Medical conditions aggravated by overexposure

: Pre-existing skin, eye or nervous system disorders.

Synergistic materials

: Not available.

Toxicological data

: The below product data is the calculated ATE values for this mixture.

ATE oral = >2000 mg/kg

ATE dermal = >5000 mg/kg

ATE inhalation (mists) = >5 mg/l

<u>Chemical name</u>	<u>LC₅₀(4hr)</u> <u>inh. rat</u>	<u>LD₅₀</u>	
		<u>(Oral, rat)</u>	<u>(Rabbit, dermal)</u>
Petroleum naphtha	> 17.1 mg/L (mist)	> 6000 mg/kg	> 3160 mg/kg
2-Methyl naphthalene	N/Av	1630 mg/kg	N/Av
1-Methylnaphthalene	N/Av	1840 mg/kg	N/Av
Naphthalene	N/Av	490 mg/kg (rat) 533 mg/kg (mouse)	> 20 000 mg/kg

Other important toxicological hazards

: CNS depression may result from extreme exposures.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

: Contains material that may be harmful in the environment. See the following tables for individual ingredient ecotoxicity data. Do not allow material to contaminate ground water system.

Ecotoxicity data:

<u>Ingredients</u>	<u>CAS #</u>	<u>Toxicity to Fish</u>		
		<u>LC50 / 96h</u>	<u>NOEC / 21 day</u>	<u>M Factor</u>
Petroleum naphtha	64742-94-5	3.6 mg/L (Rainbow trout)	N/Av	None.
Naphthalene	91-20-3	0.96 mg/L (pink salmon)	0.12 mg/L/40 days	1

<u>Ingredients</u>	<u>CAS #</u>	<u>Toxicity to Daphnia</u>		
		<u>EC50 / 48h</u>	<u>NOEC / 21 day</u>	<u>M Factor</u>
Petroleum naphtha	64742-94-5	1.1 mg/L (Daphnia magna)	N/Av	None.
Naphthalene	91-20-3	3.4 mg/L (Daphnia magna)	0.22 - 0.6 mg/L	None.

Comsol 200 ND

SDS Revision Date (mm/dd/yyyy): 11/07/2024

Page 8 of 11

SAFETY DATA SHEET

<u>Ingredients</u>	<u>CAS #</u>	<u>Toxicity to Algae</u>		
		<u>EC50 / 96h or 72h</u>	<u>NOEC / 96h or 72h</u>	<u>M Factor</u>
Petroleum naphtha	64742-94-5	7.2 mg/L/72hr (Green algae)	0.22 mg/L/72hr	None.
Naphthalene	91-20-3	0.4 mg/L/72hr (Skeletonema costatum)	N/Av	1

Persistence and degradability

: Expected to be readily biodegradable.

Bioaccumulation potential

: No data is available on the product itself.

<u>Components</u>	<u>Partition coefficient n-octanol/water (log Kow)</u>	<u>Bioconcentration factor (BCF)</u>
Petroleum naphtha (CAS 64742-94-5)	> 3, to < 6.5	61 - 159 species: fish
Naphthalene (CAS 91-20-3)	3.7	427 (Fathead minnow)
2-Methyl naphthalene (CAS 91-57-6)	3.86	

Mobility in soil

: No data is available on the product itself.

Other Adverse Environmental effects

: No data is available on the product itself.

SECTION 13. DISPOSAL CONSIDERATIONS

Handling for Disposal

: Handle waste according to recommendations in Section 7.

Methods of Disposal

: Dispose in accordance with all applicable federal, state, provincial and local regulations.

RCRA

: If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.





Comsol 200 ND

SDS Revision Date (mm/dd/yyyy): 11/07/2024

Page 9 of 11

SAFETY DATA SHEET

SECTION 14. TRANSPORT INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
49CFR/DOT	None.	Not regulated.	not regulated	none	
49CFR/DOT Additional information	None.				
TDG	None.	Not regulated.	not regulated	none	
TDG Additional information	None.				
ICAO/IATA	None.	Not regulated.	not regulated	none	
ICAO/IATA Additional information	None.				
IMDG	None.	Not regulated.	not regulated	none	
IMDG Additional information	None.				

Special precautions for user : Keep away from heat, sparks and open flame - No smoking.

Environmental hazards : This product does not meet the criteria for an environmentally hazardous mixture, according to the IMDG Code. See ECOLOGICAL INFORMATION, Section 12.

SECTION 15 - REGULATORY INFORMATION

US Federal Information:

Components listed below are present on the following U.S. Federal chemical lists:

<u>Ingredients</u>	<u>CAS #</u>	<u>TSCA Inventory</u>	<u>CERCLA Reportable Quantity(RQ) (40 CFR 117.302):</u>	<u>SARA TITLE III: Sec. 302, Extremely Hazardous Substance, 40 CFR 355:</u>	<u>SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical</u>	<u>de Minimis Concentration</u>
Petroleum naphtha	64742-94-5	Yes	None.	None.	No	No
2-Methyl naphthalene	91-57-6	Yes	N/Ap	N/Av	No	No
1-Methylnaphthalene	90-12-0	Yes	N/Ap	N/Av	No	No
Naphthalene	91-20-3	Yes	100 lb/ 45.4 kg	None.	Yes	0.1%

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes: Carcinogenicity ; Specific target organ toxicity, single exposure; Aspiration hazard. .



Comet Chemical Company Ltd.
3463 Thomas Street
Innisfill, ON, Canada, L9S 3W4
Telephone: (705) 436 5580

Comsol 200 ND

SDS Revision Date (mm/dd/yyyy): 11/07/2024

Page 10 of 11

SAFETY DATA SHEET

US State Right to Know Laws:

The following chemicals are specifically listed by individual States:

<u>Ingredients</u>	CAS #	California Proposition 65		State "Right to Know" Lists					
		Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
Petroleum naphtha	64742-94-5	No	N/Ap	No	No	No	No	No	No
2-Methyl naphthalene	91-57-6	No	N/Ap	No	No	No	No	No	No
1-Methylnaphthalene	90-12-0	No	N/Ap	No	Yes	No	No	Yes	No
Naphthalene	91-20-3	Yes	Cancer	Yes	Yes	Yes	Yes	Yes	Yes

Canadian Information:

All ingredients are present on the DSL.

International Information:

Components listed below are present on the following International Inventory list:

<u>Ingredients</u>	CAS #	European EINECs	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	NewZealand IOC
Petroleum naphtha	64742-94-5	265-198-5	Present	Present	(9)-2578	KE-31656	Present	May be used as a single component chemical under an appropriate group standard.
2-Methyl naphthalene	91-57-6	202-078-3	Present	Present	(4)-80	N/Av	Present	HSR005200
1-Methylnaphthalene	90-12-0	201-966-8	Present	Present	(4)-80	N/Av	Present	HSR004054
Naphthalene	91-20-3	202-049-5	Present	Present	(4)-311	KE-25545	Present	HSR001287

SECTION 16. OTHER INFORMATION

Legend

: ACGIH: American Conference of Governmental Industrial Hygienists
CAS: Chemical Abstract Services
CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980
CNS: Central Nervous System
COC: Cleveland Open Cup
CSA: Canadian Standards Association
DOT: Department of Transportation
EPA: Environmental Protection Agency
IARC: International Agency for Research on Cancer
LC: Lethal Concentration
LD: Lethal Dose
N/Ap: Not Applicable
N/Av: Not Available
NIOSH: National Institute of Occupational Safety and Health
NTP: National Toxicology Program
OSHA: Occupational Safety and Health Administration

Comsol 200 ND

SDS Revision Date (mm/dd/yyyy): 11/07/2024

Page 11 of 11

SAFETY DATA SHEET

PEL: Permissible exposure limit
 SARA: Superfund Amendments and Reauthorization Act
 STEL: Short Term Exposure Limit
 TLV: Threshold Limit Values
 TWA: Time Weighted Average

- References** :
1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices
 2. ECHA - European Chemical Agency
 3. Canadian Centre for Occupational Health and Safety, CCInfoWeb databases
 4. Safety Data Sheets from manufacturer.
 5. US EPA Title III List of Lists
 6. California Proposition 65 List
 7. OECD - The Global Portal to Information on Chemical Substances - eChemPortal

Preparation Date (mm/dd/yyyy)

: 09/19/2018

Reviewed Date SDS (dd/mm/yyyy)

: 07/11/2024

Revision No.

: 2

Revision Information

: 5. FIRE-FIGHTING MEASURES 9. PHYSICAL AND CHEMICAL PROPERTIES 15. REGULATORY INFORMATION

Other special considerations for handling

: Provide adequate information, instruction and training for operators.

<p><u>Prepared for:</u></p> <p>Comet Chemical Company Ltd. 3463 Thomas Street Innisfill, ON L9S 3W4 Information (M-F 8:00-5:00): 705-436-5580 www.cometchemical.com</p>	 COMET CHEMICAL COMPANY LTD.
<p><u>Prepared by:</u></p> <p>ICC The Compliance Center Inc. Telephone: (888) 442-9628 (U.S.): (888) 977-4834 (Canada) http://www.thecompliancecenter.com</p>	 ComplianceCenter

DISCLAIMER

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by / obtained from Comet Chemical Company Ltd. and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Comet Chemical Company Ltd. expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Comet Chemical Company Ltd.

END OF DOCUMENT