

**Sodium Hypochlorite 12% (Liquid Chlorine)**

**SDS Revision Date (mm/dd/yyyy): 10/16/2023**

Page 1 of 10

## **SAFETY DATA SHEET**

### **SECTION 1. IDENTIFICATION**

**Product identifier used on the label**

: **Sodium Hypochlorite 12% (Liquid Chlorine)**

**Other means of identification** : Not available.

**Recommended use of the chemical and restrictions on use**

: Reagent; Chemical intermediate.  
Use pattern: Professional Use Only  
Restriction on use: None known

**Chemical family** : Mixture

**Name, address, and telephone number of the supplier:**

**Comet Chemical Company Ltd.**

3463 Thomas Street  
Innisfill, ON, Canada  
L9S 3W4

Supplier's Telephone # : 705-436-5580

**24 Hr. Emergency Tel #** : TERRAPURE ENVIRONMENTAL : 800-567-7455

**Name, address, and telephone number of the manufacturer:**

Refer to supplier

### **SECTION 2. HAZARDS IDENTIFICATION**

**Classification of the chemical**

Clear to yellow liquid. Chlorine or bleach odor.

Most important hazards: Corrosive to metals. Corrosive to all tissues. May cause respiratory irritation.

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Hazard classification

Corrosive to Metals - Category 1

Skin corrosion - Category 1

Eye Damage - Category 1

Specific target organ toxicity, single exposure - Category 3 (respiratory)

**Label elements**

*Hazard pictogram(s)*



*Signal Word*

**DANGER!**

*Hazard statement(s)*

May be corrosive to metals.  
Causes severe skin burns and eye damage.  
May cause respiratory irritation.

**Sodium Hypochlorite 12% (Liquid Chlorine)**

**SDS Revision Date (mm/dd/yyyy): 10/16/2023**

Page 2 of 10

## SAFETY DATA SHEET

### Precautionary statement(s)

Do not breathe mist or vapor.  
Keep only in original packaging.  
Wash contaminated clothing before reuse.  
Use only outdoors or in a well-ventilated area.  
Wear protective gloves/clothing and eye/face protection.

Immediately call a POISON CENTER or doctor/physician.  
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
Wash contaminated clothing before reuse.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
Call a POISON CENTER or doctor/physician if you feel unwell.  
Absorb spillage to prevent material damage.

Store in corrosive resistant container with a resistant inner liner.  
Store locked up.  
Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local/regional/national/international regulations.

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity:4%

### Other hazards

Other hazards which do not result in classification: Ingestion can cause irritation and corrosive action in the mouth, stomach and digestive tract. Toxic fumes, gases or vapours may evolve on burning.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

<u>Chemical name</u>	<u>Common name and synonyms</u>	<u>CAS #</u>	<u>Concentration (% by weight)</u>
Sodium hypochlorite	Hypochlorite solution; Javex; Bleach	7681-52-9	12.00

## SECTION 4. FIRST-AID MEASURES

### Description of first aid measures

- |                     |  |
|---------------------|--|
| <i>Ingestion</i>    | : Seek immediate medical attention/advice. Do not induce vomiting. Have victim rinse mouth with water, then give one to two glasses of water to drink. Never give anything by mouth to an unconscious person.  |
| <i>Inhalation</i>   | : Immediately remove person to fresh air. If breathing has stopped, give artificial respiration. If breathing is difficult, give oxygen by qualified medical personnel only. Seek immediate medical attention/advice.  |
| <i>Skin contact</i> | : Remove/Take off immediately all contaminated clothing. Flush affected skin with gently flowing lukewarm water for at least 30 minutes. Do not rub area of contact. Seek immediate medical attention/advice. Wash contaminated clothing before reuse. Leather and shoes that have been contaminated with the solution may need to be destroyed. |
| <i>Eye contact</i>  | : Immediately flush eyes thoroughly with running water for at least 20 to 30 minutes. Seek immediate medical attention/advice.   |

Sodium Hypochlorite 12% (Liquid  
Chlorine)

SDS Revision Date (mm/dd/yyyy): 10/16/2023

Page 3 of 10

## SAFETY DATA SHEET

### Most important symptoms and effects, both acute and delayed

- : May cause severe eye irritation. Permanent eye damage including blindness could result. Symptoms may include redness, pain, tearing and conjunctivitis. May cause respiratory irritation. Symptoms include coughing, shortness of breath and wheezing. Ingestion can cause irritation and corrosive action in the mouth, stomach and digestive tract. Causes severe skin irritation. Symptoms may include redness, blistering, pain and swelling.

### Indication of any immediate medical attention and special treatment needed

- : Immediate medical attention is required. Causes chemical burns. Treat symptomatically.

## SECTION 5. FIRE-FIGHTING MEASURES

### Extinguishing media

#### *Suitable extinguishing media*

- : Fires should be flooded with large amounts of water. Avoiding using other types of extinguishing materials, such as foam or dry chemicals.

#### *Unsuitable extinguishing media*

- : Do not use dry chemical extinguishing agents that contain ammonium compounds. Do not use a solid water stream as it may scatter and spread fire.

### Special hazards arising from the substance or mixture / Conditions of flammability

- : Burning produces obnoxious and toxic fumes. Contact with most metals will generate flammable hydrogen gas. Contact with water will generate considerable heat.

### Flammability classification (OSHA 29 CFR 1910.106)

- : Not flammable.

### Hazardous combustion products

- : Sodium oxides; Oxygen; Hydrogen chloride; Chlorine

### Special protective equipment and precautions for firefighters

#### *Protective equipment for fire-fighters*

- : Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Do not enter without wearing specialized protective equipment suitable for the situation. Firefighter's normal protective clothing (Bunker Gear) will not provide adequate protection. A full-body encapsulating chemical protective suit with positive pressure self-contained breathing apparatus (NIOSH approved or equivalent) may be necessary.

#### *Special fire-fighting procedures*

- : Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

- : All persons dealing with clean-up should wear the appropriate protective equipment including self-contained breathing apparatus. Keep all other personnel upwind and away from the spill/release. Restrict access to area until completion of clean-up. Refer to protective measures listed in sections 7 and 8.

### Environmental precautions

- : Ensure spilled product does not enter drains, sewers, waterways, or confined spaces. For large spills, dike the area to prevent spreading.

### Methods and material for containment and cleaning up

- : Ventilate area of release. Remove all sources of ignition. Stop leak if you can do so without risk. Dike for water control. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13). Do not use combustible absorbents, such as sawdust. Contact the proper local authorities.

Sodium Hypochlorite 12% (Liquid Chlorine)

SDS Revision Date (mm/dd/yyyy): 10/16/2023

Page 4 of 10

## SAFETY DATA SHEET

### Special spill response procedures

- : In Canada: For 24-hour emergency assistance, call: 1-613-996-6666 (CANUTEC).
- US CERCLA Reportable quantity (RQ): sodium hypochlorite (100 lbs / 45.4 kg)

### SECTION 7. HANDLING AND STORAGE

#### Precautions for safe handling

- : Use only outdoors or in a well-ventilated area. Wear protective gloves/clothing and eye/face protection. Do not breathe mist or vapor. Avoid contact with skin, eyes and clothing. Keep away from heat and sources of ignition. Keep away from combustible material. Ground all equipment during handling. Never return contaminated material to its original container. Label containers appropriately. Wash thoroughly after handling. Keep containers closed when not in use. When preparing or diluting solution, always add to water, slowly and with stirring.

- Conditions for safe storage** : Store in a cool, dry, well-ventilated area. Store away from incompatibles and out of direct sunlight. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks. No smoking in the area. Store in corrosion-resistant containers. Do not store on wooden pallets. Protect from sunlight. Keep away from heat.

- Incompatible materials** : Strong oxidizing agents and acids.; Amines.; Ammonia ;Metals (e.g. Aluminum, brass, copper)

### SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

<b><u>Exposure Limits:</u></b>			
<b><u>Chemical Name</u></b>	<b><u>ACGIH TLV</u></b>		<b><u>OSHA PEL</u></b>
	<b><u>TWA</u></b>	<b><u>STEL</u></b>	<b><u>PEL</u></b> <b><u>STEL</u></b>
Sodium hypochlorite	N/Av	N/Av	N/Av      N/Av

#### **Exposure controls**

##### Ventilation and engineering measures

- : Provide exhaust ventilation or other engineering controls to keep the airborne concentration of vapours below their respective threshold limit value. Use explosion-proof equipment.

- Respiratory protection** : Respiratory protection is required if the concentrations exceed the TLV. Wear a positive-pressure supplied-air respirator. Advice should be sought from respiratory protection specialists. Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with OSHA (29 CFR 1910.134) or CSA Z94.4-02.

- Skin protection** : Wear protective gloves/clothing. Impervious gloves must be worn when using this product. The suitability for a specific workplace should be discussed with the producers of the protective gloves. Where contact is likely, wear chemical-resistant gloves, a chemical suit, rubber boots, and chemical safety goggles plus a face shield.

- Eye / face protection** : Wear eye/face protection. Chemical splash goggles are recommended. A full face shield may also be necessary.

- Other protective equipment** : Full protective flameproof clothing. Wear chemically protective gloves (impervious), boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. An eyewash station and safety shower should be made available in the immediate working area. Other equipment may be required depending on workplace standards.

##### General hygiene considerations

Sodium Hypochlorite 12% (Liquid Chlorine)

SDS Revision Date (mm/dd/yyyy): 10/16/2023

Page 5 of 10

## SAFETY DATA SHEET

: Do not breathe mist or vapor. Avoid contact with skin, eyes and clothing. Do not eat, drink, smoke or use cosmetics while working with this product. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove soiled clothing and wash it thoroughly before reuse.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical State** : Liquid.  
**Colour** : Clear to yellow  
**Odour** : Chlorine or bleach odor.  
**Odour threshold** : N/Av  
**pH** : 12.8  
**Melting Point/Freezing point** : -15°C  
**Initial boiling point and boiling range**  
: 105°C  
**Flash point** : N/Av  
**Flashpoint (Method)** : N/Av  
**Evaporation rate (BuAe = 1)** : Not available.  
**Flammability** : Not applicable.  
**Lower explosion or flammability limit (% by vol.)**  
: N/Av  
**Upper explosion or flammability limit (% by vol.)**  
: N/Av  
**Oxidizing properties** : Product may slowly decompose in sunlight, generating small amounts of oxygen.  
**Explosive properties** : May be reactive and decompose violently.  
**Vapour pressure** : 22 mmHg  
**Relative vapour density** : (Air = 1) 2.5 (Chlorine gas)  
**Relative density / Specific gravity**  
: 1.16 g/cm<sup>3</sup>  
**Solubility in water** : Soluble.  
**Other solubility(ies)** : Not available.  
**Partition coefficient: n-octanol/water or Coefficient of water/oil distribution**  
: N/Av  
**Auto-ignition temperature** : N/Av  
**Decomposition temperature** : Not available.  
**Viscosity** : Not available.  
**Particle characteristics** : Not applicable.  
**Volatiles (% by weight)** : N/Av  
**Volatile organic Compounds (VOC's)**  
: N/Av  
**Absolute pressure of container**  
: N/Av  
**Flame projection length** : N/Av  
**Other physical/chemical comments**  
: Molecular formula: NaOCl  
Molecular Weight: 74.4

### SECTION 10. STABILITY AND REACTIVITY

**Reactivity** : May be corrosive to metals. Contact with metals may release small amounts of flammable hydrogen gas. Reacts with amines and ammonia compounds to form explosively unstable compounds.

Sodium Hypochlorite 12% (Liquid Chlorine)

SDS Revision Date (mm/dd/yyyy): 10/16/2023

Page 6 of 10

## SAFETY DATA SHEET

- Chemical stability** : Material is hygroscopic and may absorb moisture from air. May slowly decompose in air to form hazardous decomposition products. This process may be sped up by direct sunlight, heat and moisture.
- Possibility of hazardous reactions** : No dangerous reaction known under conditions of normal use.
- Conditions to avoid** : Avoid heat and open flame. Ensure adequate ventilation, especially in confined areas. Avoid contact with incompatible materials. Keep out of direct sunlight. Keep away from combustible material.
- Incompatible materials** : Incompatible materials (see Section 7).
- Hazardous decomposition products** : None known, refer to hazardous combustion products in Section 5.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure:

- Routes of entry inhalation** : YES
- Routes of entry skin & eye** : YES
- Routes of entry Ingestion** : YES
- Routes of exposure skin absorption** : NO

#### Potential Health Effects:

##### Signs and symptoms of short-term (acute) exposure

###### *Sign and symptoms Inhalation*

- : If product is heated or mists are formed, inhalation may cause irritation to the nose, throat and respiratory tract. Symptoms may include coughing, choking and wheezing. Inhalation of extremely high concentrations could cause pulmonary edema (fluid accumulation). Symptoms of pulmonary edema (chest pain, shortness of breath) may be delayed.

###### *Sign and symptoms ingestion*

- : May cause severe irritation and corrosive damage in the mouth, throat and stomach. Symptoms may include abdominal pain, nausea, vomiting, diarrhea and collapse.

###### *Sign and symptoms skin*

- : Causes skin burns. Symptoms may include redness, blistering, pain and swelling.

###### *Sign and symptoms eyes*

- : Causes serious eye damage. Symptoms may include severe pain, tearing, redness, swelling and blurred vision. Permanent eye damage including blindness could result.

##### Potential Chronic Health Effects

- : None known or reported by the manufacturer.

##### Mutagenicity

- : Not expected to be mutagenic in humans.

##### Carcinogenicity

- : No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.

##### Reproductive effects & Teratogenicity

- : Not expected to have other reproductive effects.

##### Sensitization to material

- : Not expected to be a skin or respiratory sensitizer.

##### Specific target organ effects

- : Eyes, skin, respiratory system and digestive system.

May cause respiratory irritation.

Not classified as a specific target organ toxicity - repeated exposure.

##### Medical conditions aggravated by overexposure

- : Pre-existing skin, eye and respiratory disorders.

##### Synergistic materials

- : N/Av

Sodium Hypochlorite 12% (Liquid Chlorine)

SDS Revision Date (mm/dd/yyyy): 10/16/2023

Page 7 of 10

## SAFETY DATA SHEET

**Toxicological data** : There is no data available for this product. See below for individual ingredient acute toxicity data.

<u>Chemical name</u>	<u>LC<sub>50</sub>(4hr)</u> <u>inh, rat</u>	<u>LD<sub>50</sub></u>	
		<u>(Oral, rat)</u>	<u>(Rabbit, dermal)</u>
Sodium hypochlorite	>5250 mg/m <sup>3</sup> (>5.25 mg/L)	8800 mg/kg (12.5%); 5800 mg/kg (mouse)	>20 g/kg (12.5%)

**Other important toxicological hazards**  
: None known or reported by the manufacturer.

### SECTION 12. ECOLOGICAL INFORMATION

**Ecotoxicity** : Very toxic to aquatic life with long lasting effects. Do not allow material to contaminate ground water system. See the following tables for the substance's ecotoxicity data.

**Ecotoxicity data:**

<u>Ingredients</u>	<u>CAS #</u>	<u>Toxicity to Fish</u>		
		<u>LC50 / 96h</u>	<u>NOEC / 21 day</u>	<u>M Factor</u>
Sodium hypochlorite	7681-52-9	0.059 mg/L (Rainbow trout)	0.04 mg/L (Tidewater silverside)	10

<u>Ingredients</u>	<u>CAS #</u>	<u>Toxicity to Daphnia</u>		
		<u>EC50 / 48h</u>	<u>NOEC / 21 day</u>	<u>M Factor</u>
Sodium hypochlorite	7681-52-9	0.032 mg/L Water flea	0.02 mg/L (NOEC) (Mysid shrimp)	10

<u>Ingredients</u>	<u>CAS #</u>	<u>Toxicity to Algae</u>		
		<u>EC50 / 96h or 72h</u>	<u>NOEC / 96h or 72h</u>	<u>M Factor</u>
Sodium hypochlorite	7681-52-9	46 mg/L/96hr (Red algae)	N/Av	None.

**Persistence and degradability**  
: Biodegradation is not applicable to inorganic materials.

**Bioaccumulation potential** : No data is available on the product itself.

<u>Components</u>	<u>Partition coefficient n-octanol/water (log Kow)</u>	<u>Bioconcentration factor (BCF)</u>
Sodium hypochlorite (CAS 7681-52-9)	N/Av	N/Av

**Mobility in soil** : No data is available on the product itself.

**Other Adverse Environmental effects**  
: No data is available on the product itself.

### SECTION 13. DISPOSAL CONSIDERATIONS

Sodium Hypochlorite 12% (Liquid Chlorine)









SDS Revision Date (mm/dd/yyyy): 10/16/2023

Page 8 of 10

## SAFETY DATA SHEET

- Handling for Disposal** : Handle waste according to recommendations in Section 7. Empty containers retain residue (liquid and/or vapour) and can be dangerous. Do not cut, weld, drill or grind on or near this container.
- Methods of Disposal** : Dispose in accordance with all applicable federal, state, provincial and local regulations.
- RCRA** : It is the responsibility of the waste generator to determine the proper waste identification and disposal method.  
For disposal of unused or waste material, check with local, state and federal environmental agencies.

### SECTION 14. TRANSPORT INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
TDG	UN1791	HYPOCHLORITE SOLUTION	8	II	 
<b>TDG Additional information</b>	May be shipped as LIMITED QUANTITY when transported in quantities no larger than 1 Litre, in packages not exceeding 30 kg gross mass.				
49CFR/DOT	UN1791	HYPOCHLORITE SOLUTION	8	II	 
<b>49CFR/DOT Additional information</b>	May be shipped as LIMITED QUANTITY when transported in quantities no larger than 1 Litre, in packages not exceeding 30 kg gross mass.				
ICAO/IATA	UN1791	Hypochlorite solution	8	II	 
<b>ICAO/IATA Additional information</b>	Refer to ICAO/IATA Packing Instruction				
IMDG	UN1791	HYPOCHLORITE SOLUTION	8	II	 
<b>IMDG Additional information</b>	Consult the IMDG regulations for exceptions.				

**Special precautions for user** : Appropriate advice on safety must accompany the package.

**Environmental hazards** : This substance meets the criteria for an environmentally hazardous substance according to the IMDG Code. See ECOLOGICAL INFORMATION, Section 12.

### SECTION 15 - REGULATORY INFORMATION

#### US Federal Information:

Components listed below are present on the following U.S. Federal chemical lists:



Comet Chemical Company Ltd.  
3463 Thomas Street  
Innisfill, ON, Canada, L9S 3W4  
Telephone: (705) 436 5580

Sodium Hypochlorite 12% (Liquid Chlorine)

SDS Revision Date (mm/dd/yyyy): 10/16/2023

Page 9 of 10

## SAFETY DATA SHEET

<u>Ingredients</u>	CAS #	TSCA Inventory	CERCLA Reportable Quantity(RQ) (40 CFR 117.302):	SARA TITLE III: Sec. 302, Extremely Hazardous Substance, 40 CFR 355:	SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical	
					Toxic Chemical	de Minimis Concentration
Sodium hypochlorite	7681-52-9	Yes	100 lb/ 45.4 kg	N/Av	No	No

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes: Corrosive to metals; Eye Damage; Skin corrosion; Specific target organ toxicity, single exposure

### US State Right to Know Laws:

The following chemicals are specifically listed by individual States:

<u>Ingredients</u>	CAS #	California Proposition 65		State "Right to Know" Lists					
		Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
Sodium hypochlorite	7681-52-9	No	N/Ap	Yes	Yes	Yes	Yes	Yes	No

### Canadian Information:

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL). Canadian WHMIS Classification: Refer to Section 2 for a WHMIS Classification for this product.

### International Information:

Components listed below are present on the following International Inventory list:

<u>Ingredients</u>	CAS #	European EINECS	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	NewZealand IOC
Sodium hypochlorite	7681-52-9	231-668-3	Present	Present	(1)-237	KE-31506	Present	HSR003698

## SECTION 16. OTHER INFORMATION

### Legend

: ACGIH: American Conference of Governmental Industrial Hygienists  
CAS: Chemical Abstract Services  
CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980  
CFR: Code of Federal Regulations  
CSA: Canadian Standards Association  
DOT: Department of Transportation  
HMIS: Hazardous Materials Identification System  
HSDB: Hazardous Substances Data Bank  
IARC: International Agency for Research on Cancer  
Inh: Inhalation  
LC: Lethal Concentration  
LD: Lethal Dose  
N/Ap: Not Applicable  
N/Av: Not Available  
NFPA: National Fire Protection Association  
NIOSH: National Institute of Occupational Safety and Health  
NTP: National Toxicology Program  
OSHA: Occupational Safety and Health Administration

**Sodium Hypochlorite 12% (Liquid Chlorine)**

**SDS Revision Date (mm/dd/yyyy): 10/16/2023**

Page 10 of 10

## SAFETY DATA SHEET

PEL: Permissible exposure limit  
 RCRA: Resource Conservation and Recovery Act  
 RTECS: Registry of Toxic Effects of Chemical Substances  
 SARA: Superfund Amendments and Reauthorization Act  
 STEL: Short Term Exposure Limit  
 TDG: Canadian Transportation of Dangerous Goods Act & Regulations  
 TLV: Threshold Limit Values  
 TWA: Time Weighted Average  
 WHMIS: Workplace Hazardous Materials Identification System

- References** :
1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices
  2. ECHA - European Chemical Agency
  3. Canadian Centre for Occupational Health and Safety, CCInfoWeb databases
  4. Safety Data Sheets from manufacturer.
  5. US EPA Title III List of Lists
  6. California Proposition 65 List
  7. OECD - The Global Portal to Information on Chemical Substances - eChemPortal

**Preparation Date (mm/dd/yyyy)**

: 11/20/2016

**Reviewed Date SDS (dd/mm/yyyy)**

: 16/10/2023

**Revision No.**

: 2

**Revision Information**

: Updated SDS to the comply with new 2023 WHMIS format

**Other special considerations for handling**

: Provide adequate information, instruction and training for operators.

<p><b><u>Prepared for:</u></b></p> <p>Comet Chemical Company Ltd.          3463 Thomas Street          Innisfill, ON L9S 3W4          Information (M-F 8:00-5:00): 705-436-5580  <a href="http://www.cometchemical.com">www.cometchemical.com</a></p>	
<p><b><u>Prepared by:</u></b></p> <p>ICC The Compliance Center Inc.          Telephone: (888) 442-9628 (U.S.): (888) 977-4834 (Canada)  <a href="http://www.thecompliancecenter.com">http://www.thecompliancecenter.com</a></p>	

### DISCLAIMER

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by Comet Chemical Company Ltd. and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Comet Chemical Company Ltd. expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Comet Chemical Company Ltd.

**END OF DOCUMENT**