

Mineral Seal Oil

SDS Revision Date (mm/dd/yyyy): 02/20/2024

Page 1 of 10

## SAFETY DATA SHEET

### SECTION 1. IDENTIFICATION

Product identifier used on the label

: **Mineral Seal Oil**

Other means of identification : None reported.

Recommended use of the chemical and restrictions on use

: Base oil  
Use pattern: Professional Use Only  
Restriction on use: None known

Chemical family : Petroleum hydrocarbon

Name, address, and telephone number  
of the supplier:

**Comet Chemical Company Ltd.**

3463 Thomas Street  
Innisfill, ON, Canada  
L9S 3W4

Supplier's Telephone # : (705) 436-5580

**24 Hr. Emergency Tel #** : GFL Environmental - 1-888-772-2543

Name, address, and telephone number of  
the manufacturer:

Refer to supplier

### SECTION 2. HAZARDS IDENTIFICATION

Classification of the chemical

Clear colourless liquid.

Most important hazards: May be fatal if swallowed and enters airways.

This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Hazard classification:

Aspiration toxicity: Category 1

Label elements

*Hazard pictogram(s)*



*Signal Word*

**DANGER!**

*Hazard statement(s)*

May be fatal if swallowed and enters airways.

Mineral Seal Oil

SDS Revision Date (mm/dd/yyyy): 02/20/2024

Page 2 of 10

**SAFETY DATA SHEET***Precautionary statement(s)*

If swallowed: Immediately call a poison center/doctor.

Do NOT induce vomiting.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

**Other hazards**

Other hazards which do not result in classification: Ingestion may cause irritation of the mouth, throat and stomach. Inhalation of high concentrations may cause dizziness, disorientation, incoordination, narcosis, nausea or narcotic effects. Contact with eyes may cause irritation. May cause mild skin irritation. Prolonged or repeated contact may cause drying, cracking and defatting of the skin.

Environmental precautions:

Avoid release to the environment. See ECOLOGICAL INFORMATION, Section 12.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Pure substance

<b>Chemical name</b>	<b>Common name and synonyms</b>	<b>CAS #</b>	<b>Concentration (% by weight)</b>
<b>Distillate (petroleum) hydrotreated middle</b>	Distillates, petroleum, hydrotreated middle	64742-46-7	<b>100.00</b>

**SECTION 4. FIRST-AID MEASURES****Description of first aid measures**

- Ingestion* : If swallowed: Immediately call a poison center/doctor. Do not induce vomiting. Rinse mouth thoroughly. Never give anything by mouth to an unconscious person. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration.
- Inhalation* : Immediately remove person to fresh air. If breathing has stopped, give artificial respiration. If breathing is difficult, give oxygen by qualified medical personnel only. Call a POISON CENTER or doctor/physician if you feel unwell.
- Skin contact* : Wash affected areas with soap and water. Take off contaminated clothing and wash before re-use. Get medical attention if irritation develops and persists.
- Eye contact* : Flush with large amounts of water for 15 minutes. Remove contact lenses, if present and easy to do. If irritation or symptoms develop, seek medical attention.

**Most important symptoms and effects, both acute and delayed**

- : Aspiration hazard - material may cause lung inflammation or damage if it enters lungs through vomiting or swallowing. Aspiration into the lungs during swallowing or subsequent vomiting may cause chemical pneumonitis, which can be fatal. Inhalation of high concentrations may cause dizziness, disorientation, incoordination, narcosis, nausea or narcotic effects. Direct skin contact may cause temporary redness. Direct eye contact may cause temporary redness. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May have laxative effects.

**Indication of any immediate medical attention and special treatment needed**

- : Treat symptomatically. Aspiration hazard

**SECTION 5. FIRE-FIGHTING MEASURES****Extinguishing media***Suitable extinguishing media*

- : Use media suitable to the surrounding fire such as water fog or fine spray, alcohol foams, carbon dioxide and dry chemical.

Mineral Seal Oil

SDS Revision Date (mm/dd/yyyy): 02/20/2024

Page 3 of 10

## SAFETY DATA SHEET

### *Unsuitable extinguishing media*

- : Do not use a solid water stream as it may scatter and spread fire.

### **Special hazards arising from the substance or mixture / Conditions of flammability**

- : Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure.

### **Flammability classification (OSHA 29 CFR 1910.106)**

- : Not flammable.

### **Hazardous combustion products**

- : Carbon dioxide and carbon monoxide.; Hydrocarbons ;Sulfur oxides.

### **Special protective equipment and precautions for firefighters**

#### *Protective equipment for fire-fighters*

- : Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. A full-body chemical resistant suit should be worn. Do not enter without wearing specialized protective equipment suitable for the situation. Firefighter's normal protective clothing (Bunker Gear) will not provide adequate protection. A full-body encapsulating chemical protective suit with positive pressure self-contained breathing apparatus (NIOSH approved or equivalent) may be necessary.

#### *Special fire-fighting procedures*

- : Evacuate personnel to safe areas. Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame. Dike for water control. Avoid release to the environment.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

### **Personal precautions, protective equipment and emergency procedures**

- : All persons dealing with clean-up should wear the appropriate protective equipment including self-contained breathing apparatus. Keep all other personnel upwind and away from the spill/release. Restrict access to area until completion of clean-up. Refer to Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION, for additional information on acceptable personal protective equipment.

### **Environmental precautions**

- : Ensure spilled product does not enter drains, sewers, waterways, or confined spaces. For large spills, dike the area to prevent spreading.

### **Methods and material for containment and cleaning up**

- : Remove all sources of ignition. Ventilate the area. Prevent further leakage or spillage if safe to do so. Dike for water control. Use only non-sparking tools and equipment in the clean-up process. Spilled material will create slippery surfaces. Clean up promptly. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13). Contact the proper local authorities.

### **Special spill response procedures**

- : In Canada:For 24-hour emergency assistance, call: 1-613-996-6666 (CANUTEC).  
US CERCLA Reportable quantity (RQ): None reportable.

## SECTION 7. HANDLING AND STORAGE

### **Precautions for safe handling**

- : Use only outdoors or in a well-ventilated area. Wear suitable protective equipment. Avoid breathing mist or vapours. Avoid contact with skin, eyes and clothing. Keep away from heat and flame. Keep away from oxidizing agents. Keep away from incompatibles. Label containers appropriately. Wash thoroughly after handling. Keep containers closed when not in use. Spilled material will create slippery surfaces. Clean up promptly.

Mineral Seal Oil

SDS Revision Date (mm/dd/yyyy): 02/20/2024

Page 4 of 10

## SAFETY DATA SHEET

**Conditions for safe storage** : Store in a cool, dry, well-ventilated area. Store away from incompatibles and out of direct sunlight. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Keep away from heat, sparks and open flame - No smoking. Inspect periodically for damage or leaks. No smoking in the area.

**Incompatible materials** : Strong oxidizers (e.g. Chlorine, Peroxides, etc.).

### SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

<b><u>Exposure Limits:</u></b>				
<b><u>Chemical Name</u></b>	<b><u>ACGIH TLV</u></b>		<b><u>OSHA PEL</u></b>	
	<b><u>TWA</u></b>	<b><u>STEL</u></b>	<b><u>PEL</u></b>	<b><u>STEL</u></b>
Distillate (petroleum) hydrotreated middle	5 mg/m <sup>3</sup> (As 'Oil mist, mineral')	N/Av	5 mg/m <sup>3</sup> (As 'Oil mist, mineral')	N/Av

#### **Exposure controls**

##### **Ventilation and engineering measures**

: Provide exhaust ventilation or other engineering controls to keep the airborne concentration of vapours below their respective threshold limit value.

**Respiratory protection** : Respiratory protection is required if the concentrations exceed the TLV. Use a NIOSH approved dust respirator if dust levels exceed exposure limits. Seek advice from respiratory protection specialists.

**Skin protection** : Wear protective gloves. The suitability for a specific workplace should be discussed with the producers of the protective gloves.

**Eye / face protection** : Wear safety glasses with side shields ( or goggles).

**Other protective equipment** : Wear appropriate protective clothing to prevent skin contact, such as coveralls or long sleeved shirt, long pants, and shoes and socks. Wear protective gloves. An eyewash station and safety shower should be made available in the immediate working area. Other equipment may be required depending on workplace standards.

##### **General hygiene considerations**

: Avoid breathing mist or vapours. Avoid contact with skin, eyes and clothing. Do not eat, drink, smoke or use cosmetics while working with this product. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove soiled clothing and wash it thoroughly before reuse.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical State** : Liquid.

**Colour** : Not available.

**Odour** : Petroleum odour.

**Odour threshold** : No information available.

**pH** : No information available.

**Melting Point/Freezing point** : No information available.

##### **Initial boiling point and boiling range**

: 256-295°C (492.8-563°F)

**Flash point** : 129°C (264.2°F)

**Flashpoint (Method)** : Pensky Martens Closed Cup

**Evaporation rate (BuAe = 1)** : No information available.

**Flammability** : Not applicable.

**Lower explosion or flammability limit (% by vol.)**

: N/Av

Mineral Seal Oil

SDS Revision Date (mm/dd/yyyy): 02/20/2024

Page 5 of 10

## SAFETY DATA SHEET

Upper explosion or flammability limit (% by vol.)

: N/Ap

Oxidizing properties

: None known.

Explosive properties

: Not explosive

Vapour pressure

: <1 mmHg

Relative vapour density

: No information available.

Relative density / Specific gravity

: 0.83g/cm<sup>3</sup>

Solubility in water

: Insoluble.

Other solubility(ies)

: No information available.

Partition coefficient: n-octanol/water or Coefficient of water/oil distribution

: <4

Auto-ignition temperature

: No information available.

Decomposition temperature

: No information available.

Viscosity

: 4 cSt

Particle characteristics

: Not applicable.

Volatiles (% by weight)

: No information available.

Volatile organic Compounds (VOC's)

: No information available.

Absolute pressure of container

: N/Ap

Flame projection length

: N/Ap

Other physical/chemical comments

: No additional information.

### SECTION 10. STABILITY AND REACTIVITY

Reactivity

: Not normally reactive.

Chemical stability

: Stable under normal conditions.

Possibility of hazardous reactions

: Hazardous polymerization does not occur.

Conditions to avoid

: Ensure adequate ventilation, especially in confined areas. Avoid contact with incompatible materials.

Incompatible materials

: Strong oxidizing agents; Strong acids; Strong alkalis

Hazardous decomposition products

: None known, refer to hazardous combustion products in Section 5.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure:

Routes of entry inhalation : YES

Routes of entry skin & eye : YES

Routes of entry Ingestion : YES

Routes of exposure skin absorption

: NO

Mineral Seal Oil

SDS Revision Date (mm/dd/yyyy): 02/20/2024

Page 6 of 10

## SAFETY DATA SHEET

### Potential Health Effects:

#### Signs and symptoms of short-term (acute) exposure

##### *Sign and symptoms Inhalation*

- : Inhalation of high concentrations may cause dizziness, disorientation, incoordination, narcosis, nausea or narcotic effects.

##### *Sign and symptoms ingestion*

- : Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Aspiration hazard if swallowed - can enter lungs and cause damage. Aspiration may cause pulmonary oedema and pneumonitis.

##### *Sign and symptoms skin*

- : May cause mild skin irritation on prolonged contact.

##### *Sign and symptoms eyes*

- : Direct eye contact may cause slight redness.

#### Potential Chronic Health Effects

- : Prolonged exposure can cause redness, swelling, itching, cracking of the skin, dermatitis and sensitization.

#### Mutagenicity

- : Not expected to be mutagenic in humans.

#### Carcinogenicity

- : No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.

#### Reproductive effects & Teratogenicity

- : Not expected to have other reproductive effects.

#### Sensitization to material

- : Not expected to be a skin or respiratory sensitizer.

#### Specific target organ effects

- : The substance or mixture is not classified as specific target organ toxicant, single exposure.

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### Medical conditions aggravated by overexposure

- : Pre-existing skin, eye and respiratory disorders.

#### Synergistic materials

- : No information available.

#### Toxicological data

- : See below for toxicological data on the substance.

<u>Chemical name</u>	<u>LC<sub>50</sub>(4hr)</u>	<u>LD<sub>50</sub></u>	
	<u>inh, rat</u>	<u>(Oral, rat)</u>	<u>(Rabbit, dermal)</u>
Distillate (petroleum) hydrotreated middle	N/Av	> 5000 mg/kg	> 2000 mg/kg

#### Other important toxicological hazards

- : See Section 2 for additional information.

### SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

- : Harmful to aquatic life. The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters. See the following tables for individual ingredient ecotoxicity data.

Mineral Seal Oil

SDS Revision Date (mm/dd/yyyy): 02/20/2024

Page 7 of 10

## SAFETY DATA SHEET

### Ecotoxicity data:

<u>Ingredients</u>	CAS #	Toxicity to Fish		
		LC50 / 96h	NOEC / 21 day	M Factor
Distillate (petroleum) hydrotreated middle	64742-46-7	1.13 mg/L (Rainbow trout)	N/Av	None.

<u>Ingredients</u>	CAS #	Toxicity to Daphnia		
		EC50 / 48h	NOEC / 21 day	M Factor
Distillate (petroleum) hydrotreated middle	64742-46-7	7.385 mg/L (Daphnia magna)	N/Av	None.

<u>Ingredients</u>	CAS #	Toxicity to Algae		
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor
Distillate (petroleum) hydrotreated middle	64742-46-7	1.714 mg/L/72hr (Green algae)	N/Av	None.

### Persistence and degradability

: Not readily biodegradable.

### Bioaccumulation potential

: No data is available on the product itself.

<u>Components</u>	<u>Partition coefficient n-octanol/water (log Kow)</u>	<u>Bioconcentration factor (BCF)</u>
Distillate (petroleum) hydrotreated middle (CAS 64742-46-7)	>4	N/Av

### Mobility in soil

: This material has low solubility and floats, and is expected to migrate from water to the land.

### Other Adverse Environmental effects

: No data is available on the product itself.

## SECTION 13. DISPOSAL CONSIDERATIONS

### Handling for Disposal

: Handle waste according to recommendations in Section 7. Empty containers may contain hazardous residues.

### Methods of Disposal

: Dispose in accordance with all applicable federal, state, provincial and local regulations.

### RCRA

: If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method.





Mineral Seal Oil

SDS Revision Date (mm/dd/yyyy): 02/20/2024

Page 8 of 10

## SAFETY DATA SHEET

### SECTION 14. TRANSPORT INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
49CFR/DOT	None.	Not regulated.	not regulated	none	
<b>49CFR/DOT Additional information</b>	None.				
49CFR/DOT	None.	Not regulated.	not regulated	none	
<b>49CFR/DOT Additional information</b>					
IMDG	None.	Not regulated.	not regulated	none	
<b>IMDG Additional information</b>	None.				
ICAO/IATA	None.	Not regulated.	not regulated	none	
<b>ICAO/IATA Additional information</b>	None.				

**Special precautions for user** : Appropriate advice on safety must accompany the package.

**Environmental hazards** : This product does not meet the criteria for an environmentally hazardous mixture, according to the IMDG Code. See ECOLOGICAL INFORMATION, Section 12.

### SECTION 15 - REGULATORY INFORMATION

#### US Federal Information:

Components listed below are present on the following U.S. Federal chemical lists:

<u>Ingredients</u>	<u>CAS #</u>	<u>TSCA Inventory</u>	<u>CERCLA Reportable Quantity(RQ) (40 CFR 117.302):</u>	<u>SARA TITLE III: Sec. 302, Extremely Hazardous Substance, 40 CFR 355:</u>	<u>SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical</u>	<u>de Minimis Concentration</u>
Distillate (petroleum) hydrotreated middle	64742-46-7	Yes	N/Ap	N/Av	No	No

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes: Aspiration hazard.

#### US State Right to Know Laws:

The following chemicals are specifically listed by individual States:



Mineral Seal Oil

SDS Revision Date (mm/dd/yyyy): 02/20/2024

Page 9 of 10

## SAFETY DATA SHEET

<u>Ingredients</u>	CAS #	California Proposition 65		State "Right to Know" Lists					
		Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
Distillate (petroleum) hydrotreated middle	64742-46-7	No	N/Ap	No	No	No	No	No	No

### Canadian Information:

All ingredients are present on the DSL.

### International Information:

Components listed below are present on the following International Inventory list:

<u>Ingredients</u>	CAS #	European EINECs	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	NewZealand IOC
Distillate (petroleum) hydrotreated middle	64742-46-7	265-148-2	Present	Present	(9)-1702; (9)-1702	KE-12554	Present	

## SECTION 16. OTHER INFORMATION

### Legend

: ACGIH: American Conference of Governmental Industrial Hygienists  
CAS: Chemical Abstract Services  
CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980  
CNS: Central Nervous System  
COC: Cleveland Open Cup  
CSA: Canadian Standards Association  
DOT: Department of Transportation  
EPA: Environmental Protection Agency  
IARC: International Agency for Research on Cancer  
LC: Lethal Concentration  
LD: Lethal Dose  
N/Ap: Not Applicable  
N/Av: Not Available  
NIOSH: National Institute of Occupational Safety and Health  
NTP: National Toxicology Program  
OSHA: Occupational Safety and Health Administration  
PEL: Permissible exposure limit  
SARA: Superfund Amendments and Reauthorization Act  
STEL: Short Term Exposure Limit  
TLV: Threshold Limit Values  
TWA: Time Weighted Average

### References

: 1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices  
2. ECHA - European Chemical Agency  
3. Canadian Centre for Occupational Health and Safety, CCHInfoWeb databases  
4. Safety Data Sheets from manufacturer  
5. US EPA Title III List of Lists  
6. California Proposition 65 List  
7. OECD - The Global Portal to Information on Chemical Substances - eChemPortal

### Preparation Date (mm/dd/yyyy)

: 04/20/2017

### Reviewed Date SDS (dd/mm/yyyy)

: 20/02/2024

### Revision No.

: 2



Comet Chemical Company Ltd.  
3463 Thomas Street  
Innisfill, ON, Canada, L9S 3W4  
Telephone: (705) 436 5580

Mineral Seal Oil

SDS Revision Date (mm/dd/yyyy): 02/20/2024

Page 10 of 10

## SAFETY DATA SHEET

**Revision Information** : 1. IDENTIFICATION 5. FIRE-FIGHTING MEASURES 9. PHYSICAL AND CHEMICAL PROPERTIES 15. REGULATORY INFORMATION

**Other special considerations for handling**

: Provide adequate information, instruction and training for operators.

<b><u>Prepared for:</u></b> Comet Chemical Company Ltd. 3463 Thomas Street Innisfill, ON L9S 3W4 Information (M-F 8:00-5:00): 705-436-5580 www.cometchemical.com	
<b><u>Prepared by:</u></b> ICC The Compliance Center Inc. Telephone: (888) 442-9628 (U.S.): (888) 977-4834 (Canada) <a href="http://www.thecompliancecenter.com">http://www.thecompliancecenter.com</a>	

### DISCLAIMER

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by / obtained from Comet Chemical Company Ltd. and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Comet Chemical Company Ltd. expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Comet Chemical Company Ltd.

**END OF DOCUMENT**