

n-Propyl Acetate

SDS Preparation Date (mm/dd/yyyy): 04/21/2016

Page 1 of 10

## SAFETY DATA SHEET

### SECTION 1. IDENTIFICATION

**Product identifier used on the label**

: **n-Propyl Acetate**

**Product Code(s)** : None assigned.

**Recommended use of the chemical and restrictions on use**

: Industrial solvent.  
Use pattern: Professional use only  
Recommended restrictions None known.

**Chemical family** : Pure substance

**Name, address, and telephone number  
of the supplier:**

**Comet Chemical Company Ltd.**

3463 Thomas Street

Innisfill, ON, Canada  
L9S 3W4

Supplier's Telephone # : 705-436-5580

**24 Hr. Emergency Tel #** : TERRRAPURE ENVIRONMENTAL : 800-567-7455

**Name, address, and telephone number of  
the manufacturer:**

Refer to supplier

### SECTION 2. HAZARDS IDENTIFICATION

**Classification of the chemical**

Clear, colorless liquid. Sweet odour.

Most important hazards: This material is classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Hazard classification:

Flammable Liquids - Category 2

Serious eye damage/eye irritation - Category 2A

Specific Target Organ Toxicity, Single Exposure - Category 3 narcotic effects

Specific Target Organ Toxicity, Single Exposure -Category 3 (respiratory)

**Label elements**

*Hazard pictogram(s)*



*Signal Word*

**DANGER!**

*Hazard statement(s)*

Highly flammable liquid and vapour.

Causes serious eye irritation.

May cause drowsiness or dizziness.

May cause respiratory irritation.



n-Propyl Acetate

SDS Preparation Date (mm/dd/yyyy): 04/21/2016

Page 2 of 10

## SAFETY DATA SHEET

### Precautionary statement(s)

Keep away from heat, open flames and hot surfaces. - No smoking.  
Keep container tightly closed.  
Ground/Bond container and receiving equipment.  
Use explosion-proof electrical and ventilating equipment.  
Use only non-sparking tools.  
Take precautionary measures against static discharge.  
Avoid breathing mist or vapours.  
Wash hands thoroughly after handling.  
Use only outdoors or in a well-ventilated area.  
Wear protective gloves and eye/face protection.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If eye irritation persists: Get medical advice/attention.  
If inhaled: Remove person to fresh air and keep comfortable for breathing.  
Call a POISON CENTER or doctor/physician if you feel unwell.  
In case of fire: Use water fog, dry chemical, CO2 or 'alcohol' foam to extinguish.

Store locked up.  
Store in a well-ventilated place. Keep container tightly closed.  
Keep cool.

Dispose of contents/container in accordance with local regulation.

### Other hazards

Other hazards which do not result in classification :May be sensitive to static discharge. Burning produces obnoxious and toxic fumes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Direct skin contact may cause slight or mild, transient irritation.

Avoid release to the environment.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance

<u>Chemical name</u>	<u>Common name and synonyms</u>	<u>CAS #</u>	<u>Concentration (% by weight)</u>
n-Propyl acetate	Propyl acetate	109-60-4	100.00

## SECTION 4. FIRST-AID MEASURES

### Description of first aid measures

- Ingestion* : Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. If vomiting occurs spontaneously, keep victim's head lowered (forward) to reduce the risk of aspiration.
- Inhalation* : If inhaled: Remove person to fresh air and keep comfortable for breathing. If breathing has stopped, give artificial respiration. If breathing is difficult, give oxygen by qualified medical personnel only. Call a POISON CENTRE or doctor/physician if you feel unwell.
- Skin contact* : Immediately flush with plenty of water, while removing contaminated clothing.Immediately call a POISON CENTER or doctor/physician. Wash contaminated clothing before reuse.
- Eye contact* : For eye contact, flush with running water for at least 15 minutes.If eye irritation persists: get medical advice/attention.

n-Propyl Acetate

SDS Preparation Date (mm/dd/yyyy): 04/21/2016

Page 3 of 10

## SAFETY DATA SHEET

### Most important symptoms and effects, both acute and delayed

- : May cause respiratory irritation. May cause coughing and breathing difficulties. Causes serious eye irritation. Symptoms may include stinging, tearing, redness and swelling. Direct skin contact may cause slight or mild, transient irritation. May cause drowsiness or dizziness. Symptoms may include pain, headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

### Indication of any immediate medical attention and special treatment needed

- : Treat symptomatically. This product is a CNS depressant.

## SECTION 5. FIRE-FIGHTING MEASURES

### Extinguishing media

#### *Suitable extinguishing media*

- : Carbon dioxide (CO<sub>2</sub>); Dry chemical; Alcohol resistant foam; Water fog. .

#### *Unsuitable extinguishing media*

- : Do not use a solid water stream as it may scatter and spread fire.

### Special hazards arising from the substance or mixture / Conditions of flammability

- : Highly flammable liquid and vapour. Vapours may ignite explosively. Vapours are heavier than air and may spread along floors. Static discharge, impact, friction, and heat may ignite exposed chemical material.  
Empty containers may contain hazardous residues.

### Flammability classification (OSHA 29 CFR 1910.106)

- : Flammable Liquids - Category 2

### Hazardous combustion products

- : Carbon dioxide, carbon monoxide and other unidentified organic compounds.

### Special protective equipment and precautions for firefighters

#### *Protective equipment for fire-fighters*

- : Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode.

#### *Special fire-fighting procedures*

- : Do not breathe fumes or vapours. Move containers from fire area if safe to do so. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses. Dike for water control.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

- : All persons dealing with the clean-up should wear the appropriate chemically protective equipment. Keep people away from and upwind of spill/leak. Restrict access to area until completion of clean-up. Refer to protective measures listed in sections 7 and 8.

**Environmental precautions** : Do not allow material to contaminate ground water system. If necessary, dike well ahead of the spill to prevent runoff into drains, sewers, or any natural waterway or drinking supply.

### Methods and material for containment and cleaning up

- : Ventilate the area. Remove all sources of ignition. Prevent further leakage or spillage if safe to do so. Use only non-sparking tools and equipment in the clean-up process. Avoid breathing mist or vapours. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13). Contact the proper local authorities. Refer to Section 13 for disposal of contaminated material.

### Special spill response procedures

- : In case of transportation accident, contact TERRAPURE ENVIRONMENTAL at 1-800-567-7455.  
EPA/CERCLA Reportable quantity (RQ): None.

n-Propyl Acetate

SDS Preparation Date (mm/dd/yyyy): 04/21/2016

Page 4 of 10

## SAFETY DATA SHEET

### SECTION 7. HANDLING AND STORAGE

#### Precautions for safe handling

: Wear protective gloves and eye/face protection. Use only in well-ventilated areas. Avoid breathing vapour or mist. Avoid contact with skin, eyes and clothing. Keep container tightly closed. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Keep away from flames and hot surfaces. - No smoking. Use only non-sparking tools. Take precautionary measures against static discharges. Ground all equipment during handling. Use explosion-proof electrical and ventilating equipment.

**Conditions for safe storage** : Keep container tightly closed. Store in cool/well-ventilated place. Store locked up. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks. No smoking. Empty containers may contain hazardous residues.

**Incompatible materials** : Oxidizing agents ;Strong alkalis

### SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### Exposure Limits:

<u>Chemical Name</u>	<u>ACGIH TLV</u>		<u>OSHA PEL</u>	
	<u>TWA</u>	<u>STEL</u>	<u>PEL</u>	<u>STEL</u>
n-Propyl acetate	200 ppm	250 ppm	200 ppm (840 mg/m <sup>3</sup> )	N/Av

#### Exposure controls

##### Ventilation and engineering measures

: Use only in well-ventilated areas. Apply technical measures to comply with the occupational exposure limits. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. Use explosion-proof equipment. In case of insufficient ventilation wear suitable respiratory equipment.

**Respiratory protection** : If airborne concentrations are above the permissible exposure limit or are not known, use NIOSH-approved respirators. Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with OSHA (29 CFR 1910.134) or CSA Z94.4-02. Advice should be sought from respiratory protection specialists.

**Skin protection** : Where extensive exposure to product is possible, use resistant coveralls, apron and boots to prevent contact. Wear protective gloves. Advice should be sought from glove suppliers.

**Eye / face protection** : Wear eye/face protection. Wear safety glasses with side shields ( or goggles).

**Other protective equipment** : Ensure that eyewash stations and safety showers are close to the workstation location. Other equipment may be required depending on workplace standards.

##### General hygiene considerations

: Avoid breathing mist or vapor. Avoid contact with skin, eyes and clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Remove and wash contaminated clothing before re-use. Do not take contaminated clothing home. Handle in accordance with good industrial hygiene and safety practice.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** : Clear colourless liquid.  
**Odour** : Strong, sweet odour.  
**Odour threshold** : 0.1-25 ppm  
**pH** : No information available.



n-Propyl Acetate

SDS Preparation Date (mm/dd/yyyy): 04/21/2016

Page 5 of 10

## SAFETY DATA SHEET

**Melting/Freezing point** : <-92°C (<-133.6°F)  
**Initial boiling point and boiling range**  
: 102°C (215.6°F )  
**Flash point** : 13-14 °C (57.2-°F)  
**Flashpoint (Method)** : Cleveland closed cup  
**Evaporation rate (BuAe = 1)** : Not available.  
**Flammability (solid, gas)** : Not applicable.  
**Lower flammable limit (% by vol.)**  
: 1.7%  
**Upper flammable limit (% by vol.)**  
: 8%  
**Oxidizing properties** : None known.  
**Explosive properties** : Not explosive  
**Vapour pressure** : 25 mmHg  
**Vapour density** : 3.5  
**Relative density / Specific gravity**  
: 0.88 @ 20°C  
**Solubility in water** : 189 g/L  
**Other solubility(ies)** : Soluble in most organic solvents.  
**Partition coefficient: n-octanol/water or Coefficient of water/oil distribution**  
: 3  
**Auto-ignition temperature** : 450 °C (842°F)  
**Decomposition temperature** : No information available.  
**Viscosity** : 0.58 cP  
**Volatiles (% by weight)** : No information available.  
**Volatile organic Compounds (VOC's)**  
: No information available.  
**Absolute pressure of container**  
: Not applicable.  
**Flame projection length** : Not applicable.  
**Other physical/chemical comments**  
: None known or reported by the manufacturer.

### SECTION 10. STABILITY AND REACTIVITY

**Reactivity** : Not normally reactive.  
**Chemical stability** : Stable under normal conditions.  
**Possibility of hazardous reactions**  
: Hazardous polymerization does not occur.  
**Conditions to avoid** : Open flames, sparks, high heat, direct sunlight, and close proximity to incompatible substances. Do not use in areas without adequate ventilation.  
**Incompatible materials** : See Section 7 (Handling and Storage) for further details.  
**Hazardous decomposition products**  
: None known, refer to hazardous combustion products in Section 5.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure:

**Routes of entry inhalation** : YES  
**Routes of entry skin & eye** : YES

n-Propyl Acetate

SDS Preparation Date (mm/dd/yyyy): 04/21/2016

Page 6 of 10

## SAFETY DATA SHEET

Routes of entry Ingestion : YES

Routes of exposure skin absorption  
: NO

### Potential Health Effects:

#### Signs and symptoms of short-term (acute) exposure

##### *Sign and symptoms Inhalation*

: May cause respiratory tract irritation. Coughing, difficulty breathing, and tightness in chest. May cause headache, nausea, dizziness and other symptoms of central nervous system depression.

##### *Sign and symptoms ingestion*

: Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

##### *Sign and symptoms skin*

: Direct skin contact may cause slight or mild, transient irritation.

##### *Sign and symptoms eyes*

: Causes severe eye irritation. Symptoms may include stinging, tearing, redness and swelling.

#### Potential Chronic Health Effects

: Prolonged exposure can cause central nervous system effects.

#### Mutagenicity

: Not expected to be mutagenic in humans.

#### Carcinogenicity

: No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.

#### Reproductive effects & Teratogenicity

: Not expected to cause reproductive effects.

#### Sensitization to material

: Not expected to be a skin or respiratory sensitizer.

**Specific target organ effects** : This material is classified as hazardous under OSHA regulations (29CFR 1910.1200) (Hazcom 2012). Classification:  
Specific target organ toxicity, single exposure - Category 3.  
May cause drowsiness or dizziness.  
May cause respiratory irritation.

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### Medical conditions aggravated by overexposure

: Pre-existing skin, eye, respiratory and central nervous system disorders.

#### Synergistic materials

: No information available.

#### Toxicological data

: See below for toxicological data on the substance.

<u>Chemical name</u>	<u>LC<sub>50</sub>(4hr)</u>	<u>LD<sub>50</sub></u>	
	<u>inh, rat</u>	<u>(Oral, rat)</u>	<u>(Rabbit, dermal)</u>
n-Propyl acetate	32 mg/L (vapour)	8700 mg/kg	> 17 800 mg/kg

#### Other important toxicological hazards

: None reported by the manufacturer.

### SECTION 12. ECOLOGICAL INFORMATION

**Ecotoxicity** : Harmful to aquatic life. Do not allow material to contaminate ground water system.  
See the following tables for the substance's ecotoxicity data.

n-Propyl Acetate

SDS Preparation Date (mm/dd/yyyy): 04/21/2016

Page 7 of 10

## SAFETY DATA SHEET

**Ecotoxicity data:**

<u>Ingredients</u>	CAS No	Toxicity to Fish		
		LC50 / 96h	NOEC / 21 day	M Factor
n-Propyl acetate	109-60-4	60 mg/L (Fathead minnow)	N/Av	None.

<u>Ingredients</u>	CAS No	Toxicity to Daphnia		
		EC50 / 48h	NOEC / 21 day	M Factor
n-Propyl acetate	109-60-4	91.5 mg/L (Daphnia magna)	N/Av	None.

<u>Ingredients</u>	CAS No	Toxicity to Algae		
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor
n-Propyl acetate	109-60-4	672 mg/L/72hr (Green algae)	83.2 mg/L/72hr	None.

**Persistence and degradability**

: Readily biodegradable.

**Bioaccumulation potential**

: No information available.

<u>Components</u>	<u>Partition coefficient n-octanol/water (log Kow)</u>	<u>Bioconcentration factor (BCF)</u>
n-Propyl acetate (CAS 109-60-4)	1.4	3

**Mobility in soil** : The product itself has not been tested.

**Other Adverse Environmental effects**

: None known.

### SECTION 13. DISPOSAL CONSIDERATIONS

**Handling for Disposal**

: Handle in accordance with good industrial hygiene and safety practice. Refer to protective measures listed in sections 7 and 8.


**Methods of Disposal**

: Dispose in accordance with all applicable federal, state, provincial and local regulations.

**RCRA**

: If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.

### SECTION 14. TRANSPORTATION INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
49CFR/DOT	UN1276	n-PROPYL ACETATE	3	II	



n-Propyl Acetate

SDS Preparation Date (mm/dd/yyyy): 04/21/2016

**SAFETY DATA SHEET**

<b>49CFR/DOT Additional information</b>	May be shipped as a limited quantity. Check 49 CFR Section 173.150.				
<b>TDG</b>	UN1276	n-PROPYL ACETATE	3	II	
<b>TDG Additional information</b>	Limited quantity exemption may be used if product is in containers of 1.0 liters or less. Consult the regulations for details.				
<b>IMDG</b>	UN1276	n-PROPYL ACETATE	3	II	
<b>IMDG Additional information</b>	Consult the IMDG regulations for exceptions.				
<b>ICAO/IATA</b>	UN1276	n-Propyl acetate	3	II	
<b>ICAO/IATA Additional information</b>	Refer to ICAO/IATA Packing Instruction				

**Special precautions for user** : Appropriate advice on safety must accompany the package. Keep away from heat, sparks and open flame. - No smoking.

**Environmental hazards** : This substance does not meet the criteria for an environmentally hazardous substance according to the IMDG Code. See ECOLOGICAL INFORMATION, Section 12.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

: This information is not available.

**SECTION 15 - REGULATORY INFORMATION**

**US Federal Information:**

Components listed below are present on the following U.S. Federal chemical lists:

<u>Ingredients</u>	CAS #	TSCA Inventory	CERCLA Reportable Quantity(RQ) (40 CFR 117.302):	SARA TITLE III: Sec. 302, Extremely Hazardous Substance, 40 CFR 355:	SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical	
					Toxic Chemical	de minimus Concentration
n-Propyl acetate	109-60-4	Yes	None.	None.	No	N/Ap

SARA TITLE III: Sec. 311 and 312, SDS Requirements, 40 CFR 370 Hazard Classes: Fire Hazard; Immediate (Acute) health hazard. Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds for the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.

**US State Right to Know Laws:**

The following chemicals are specifically listed by individual States:

<u>Ingredients</u>	CAS #	California Proposition 65		State "Right to Know" Lists					
		Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
n-Propyl acetate	109-60-4	No	N/Ap	Yes	Yes	Yes	Yes	Yes	Yes



n-Propyl Acetate

SDS Preparation Date (mm/dd/yyyy): 04/21/2016

Page 9 of 10

## SAFETY DATA SHEET

### Canadian Information:

Canadian Environmental Protection Act (CEPA): All ingredients are present on the DSL.

WHMIS information: Refer to Section 2 for a WHMIS Classification for this product.

### International Information:

Components listed below are present on the following International Inventory list:

<u>Ingredients</u>	<u>CAS #</u>	<u>European EINECS</u>	<u>Australia AICS</u>	<u>Philippines PICCS</u>	<u>Japan ENCS</u>	<u>Korea KECI/KECL</u>	<u>China IECSC</u>	<u>NewZealand IOC</u>
n-Propyl acetate	109-60-4	203-686-1	Present	Present	(2)-727	KE-29778	Present	HSR001217

### **SECTION 16. OTHER INFORMATION**

#### **Legend**

: ACGIH: American Conference of Governmental Industrial Hygienists  
 AICS: Australian Inventory of Chemical Substances  
 ATE: Acute Toxicity Estimate  
 CA: California  
 CAS: Chemical Abstract Services  
 CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980  
 CFR: Code of Federal Regulations  
 CSA: Canadian Standards Association  
 DOT: Department of Transportation  
 ECHA: European Chemicals Agency  
 ECOTOX: U.S. EPA Ecotoxicology Database  
 EINECS: European Inventory of Existing Commercial chemical Substances  
 ENCS: Existing and New Chemical Substances  
 EPA: Environmental Protection Agency  
 HSDB: Hazardous Substances Data Bank  
 IARC: International Agency for Research on Cancer  
 IBC: Intermediate Bulk Container  
 IECSC: Inventory of Existing Chemical Substances  
 IMDG: International Maritime Dangerous Goods  
 IOC: Inventory of Chemicals  
 IUCLID: International Uniform Chemical Information Database  
 KECI: Korean Existing Chemicals Inventory  
 KECL: Korean Existing Chemicals List  
 LC: Lethal Concentration  
 LD: Lethal Dose  
 MA: Massachusetts  
 MN: Minnesota  
 N/Ap: Not Applicable  
 N/Av: Not Available  
 NIOSH: National Institute of Occupational Safety and Health  
 NJ: New Jersey  
 NOEC: No observable effect concentration  
 NTP: National Toxicology Program  
 OECD: Organisation for Economic Co-operation and Development  
 OSHA: Occupational Safety and Health Administration  
 PA: Pennsylvania  
 PEL: Permissible exposure limit  
 PICCS: Philippine Inventory of Chemicals and Chemical Substances  
 RCRA: Resource Conservation and Recovery Act

n-Propyl Acetate

SDS Preparation Date (mm/dd/yyyy): 04/21/2016

Page 10 of 10

## SAFETY DATA SHEET

RI: Rhode Island  
 RTECS: Registry of Toxic Effects of Chemical Substances  
 SARA: Superfund Amendments and Reauthorization Act  
 SDS: Safety Data Sheet / Material Safety Data Sheet  
 STEL: Short Term Exposure Limit  
 TDG: Canadian Transportation of Dangerous Goods Act & Regulations  
 TLV: Threshold Limit Values  
 TSCA: Toxic Substance Control Act  
 TWA: Time Weighted Average  
 WHMIS: Workplace Hazardous Materials Identification System

- References** :
1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices for 2016.
  2. International Agency for Research on Cancer Monographs, searched 2016.
  3. Canadian Centre for Occupational Health and Safety, CCHInfoWeb databases, 2016 (Chempendium, HSDB and RTECs).
  4. Material Safety Data Sheets from manufacturer.
  5. US EPA Title III List of Lists - 2016 version.
  6. California Proposition 65 List

**Preparation Date (mm/dd/yyyy)**

: 04/21/2016

**Other special considerations for handling**

: Provide adequate information, instruction and training for operators.

<p><b>Prepared for:</b>          Comet Chemical Company Ltd.          3463 Thomas Street          Innisfill, ON L9S 3W4          Information (M-F 8:00-5:00): 705-436-5580          www.cometchemical.com</p>	
<p><b>Prepared by:</b>          ICC The Compliance Center Inc.          Telephone: (888) 442-9628 (U.S.): (888) 977-4834 (Canada)  <a href="http://www.thecompliancecenter.com">http://www.thecompliancecenter.com</a></p>	

### DISCLAIMER

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by Comet Chemical Company Ltd. and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Comet Chemical Company Ltd. expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this Safety Data Sheet does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Comet Chemical Company Ltd.

**END OF DOCUMENT**