



Comet Chemical Company Ltd.
3463 Thomas Street
Innisfill, ON, Canada, L9S 3W4
Telephone: (705) 436 5580

PROPYLENE GLYCOL USP/EP

SDS Revision Date (mm/dd/yyyy): 10/14/2024

Page 1 of 9

SAFETY DATA SHEET

SECTION 1. IDENTIFICATION

Product identifier used on the label

: **PROPYLENE GLYCOL USP/EP**

Other means of identification : Not applicable.

Recommended use of the chemical and restrictions on use

: Solvent
Use pattern: Professional Use Only
Restriction on use: None known

Chemical family : Glycol based fluid.

Name, address, and telephone number of the supplier:

Comet Chemical Company Ltd.

3463 Thomas Street
Innisfill, ON, Canada
L9S 3W4

Supplier's Telephone # : (705) 436-5580

24 Hr. Emergency Tel # : GFL Environmental - 1-888-772-2543

Name, address, and telephone number of the manufacturer:

Refer to supplier

SECTION 2. HAZARDS IDENTIFICATION

Classification of the chemical

Clear liquid. Odorless.

This material is not classified as hazardous under U.S. OSHA regulations (29 CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Label elements

Hazard pictogram(s)

None required under U.S. OSHA Hazcom 2012 and Canadian WHMIS 2015 regulations.

Signal Word

None required.

Hazard statement(s)

None required.

Precautionary statement(s)

None required.

Other hazards

Other hazards which do not result in classification:

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May be mildly irritating to skin, eyes and respiratory system.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance

PROPYLENE GLYCOL USP/EP
SDS Revision Date (mm/dd/yyyy): 10/14/2024

Page 2 of 9

SAFETY DATA SHEET

<u>Chemical name</u>	<u>Common name and synonyms</u>	<u>CAS #</u>	<u>Concentration (% by weight)</u>
Propylene glycol	Propane-1,2-diol 1,2-Dihydroxypropane	57-55-6	100.00

SECTION 4. FIRST-AID MEASURES

Description of first aid measures

- Ingestion* : Do NOT induce vomiting. Have victim rinse mouth with water, then give one to two glasses of water to drink. Never give anything by mouth to an unconscious person. Call a physician.
- Inhalation* : If inhaled, move to fresh air. If breathing is difficult, give oxygen by qualified medical personnel only. If breathing has stopped, give artificial respiration. Obtain medical attention if symptoms develop and persist.
- Skin contact* : Wash off immediately with plenty of water. Remove and wash contaminated clothing before re-use. If irritation or symptoms develop, seek medical attention.
- Eye contact* : Immediately flush eyes with running water for at least 5 to 10 minutes. If irritation persists, seek prompt medical attention.

Most important symptoms and effects, both acute and delayed

- : May cause mild eye irritation. Symptoms may include stinging and tearing. May cause mild skin irritation. Symptoms may include mild redness and swelling. May cause respiratory irritation. Symptoms may include upper respiratory irritation, coughing and breathing difficulties. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Indication of any immediate medical attention and special treatment needed

- : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing media
Suitable extinguishing media

- : Use media suitable to the surrounding fire such as water fog or fine spray, alcohol foams, carbon dioxide and dry chemical.

Unsuitable extinguishing media

- : Do not use a solid water stream as it may scatter and spread fire.

Special hazards arising from the substance or mixture / Conditions of flammability

- : Burning may produce irritating, toxic and obnoxious fumes.

Flammability classification (OSHA 29 CFR 1910.106)

- : Not flammable.

Hazardous combustion products

- : Carbon oxides; Phosphorus oxides.

Special protective equipment and precautions for firefighters
Protective equipment for fire-fighters

- : Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Do not enter without wearing specialized protective equipment suitable for the situation. Firefighter's normal protective clothing (Bunker Gear) will not provide adequate protection. A full-body encapsulating chemical protective suit with positive pressure self-contained breathing apparatus (NIOSH approved or equivalent) may be necessary.

Special fire-fighting procedures

- : Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame.

PROPYLENE GLYCOL USP/EP
SDS Revision Date (mm/dd/yyyy): 10/14/2024

Page 3 of 9

SAFETY DATA SHEET

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

- : Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. Wear suitable protective equipment. Refer to protective measures listed in sections 7 and 8. Restrict access to area until completion of clean-up.

Environmental precautions : Ensure spilled product does not enter drains, sewers, waterways, or confined spaces.

Methods and material for containment and cleaning up

- : Ventilate area of release. Stop spill or leak at source if safely possible. Dike for water control. Use only non-sparking tools and equipment in the clean-up process. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13).

Special spill response procedures

- : In Canada: For 24-hour emergency assistance, call: 1-613-996-6666 (CANUTEC).
US CERCLA Reportable quantity (RQ): None.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling

- : Use only in well-ventilated areas. Wear suitable protective equipment during handling. Avoid breathing vapours or mists. Avoid contact with eyes, skin and clothing. Keep away from extreme heat and flame. Keep away from incompatibles. Keep containers tightly closed when not in use. Wash thoroughly after handling.

Conditions for safe storage : Store in a cool, dry, well-ventilated area. Store away from incompatible materials. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks. No smoking in the area.

Incompatible materials : Oxidizing agents; Acids.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

<u>Exposure Limits:</u>			
<u>Chemical Name</u>	<u>ACGIH TLV</u>		<u>OSHA PEL</u>
	<u>TWA</u>	<u>STEL</u>	<u>PEL</u> <u>STEL</u>
Propylene glycol	10 mg/m ³ (AIHA WEEL)	N/Av	N/Av N/Av

*Note: The ACGIH TLV listed above for Propylene glycol is an AIHA WEEL.

Exposure controls
Ventilation and engineering measures

- : Use in a well-ventilated area. Use general or local exhaust ventilation to maintain air concentrations below recommended exposure limits.

Respiratory protection : If airborne concentrations are above the permissible exposure limit or are not known, use NIOSH-approved respirators. Advice should be sought from respiratory protection specialists. Respirators should be selected based on the form and concentration of contaminants in air, and in accordance with OSHA (29 CFR 1910.134) or CSA Z94.4-02.

Skin protection : Gloves impervious to the material are recommended. Advice should be sought from glove suppliers.

Eye / face protection : Chemical goggles are recommended when there is a potential for splashing.

PROPYLENE GLYCOL USP/EP

SDS Revision Date (mm/dd/yyyy): 10/14/2024

Page 4 of 9

SAFETY DATA SHEET

Other protective equipment : Wear sufficient clothing to prevent skin contact. Depending on conditions of use, an impervious apron should be worn. An eyewash station and safety shower should be made available in the immediate working area.

General hygiene considerations

: Avoid breathing vapour or mist. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Do not eat, drink, smoke or use cosmetics while working with this product. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove soiled clothing and wash it thoroughly before reuse. Handle in accordance with good industrial hygiene and safety practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State : Liquid
Colour : Clear
Odour : Odorless.
Odour threshold : N/Av
pH : N/Av
Melting Point/Freezing point : -20°C (< -4°F)

Initial boiling point and boiling range

: 184°C (363°F)

Flash point : 104 °C (219°F)

Flashpoint (Method) : closed cup

Evaporation rate (BuAe = 1) : N/Av

Flammability : Not applicable.

Lower explosion or flammability limit (% by vol.)

: 2.4%

Upper explosion or flammability limit (% by vol.)

: 17.4%

Oxidizing properties : None known.

Explosive properties : Not explosive

Vapour pressure : 0.2 mm Hg

Relative vapour density : Not available.

Relative density / Specific gravity

: 1.03

Solubility in water : Soluble

Other solubility(ies) : Not available.

Partition coefficient: n-octanol/water or Coefficient of water/oil distribution

: -1.07

Auto-ignition temperature : 400°C (>752°F)

Decomposition temperature : Not available.

Viscosity : 42.1 mm²/s @ 25°C (77°F)

Particle characteristics :

Volatiles (% by weight) : Not available.

Volatile organic Compounds (VOC's)

: N/Av

Absolute pressure of container

: N/Av

Flame projection length : N/Av

Other physical/chemical comments

: None known or reported by the manufacturer.

PROPYLENE GLYCOL USP/EP

SDS Revision Date (mm/dd/yyyy): 10/14/2024

Page 5 of 9

SAFETY DATA SHEET

SECTION 10. STABILITY AND REACTIVITY

- Reactivity** : Not normally reactive.
- Chemical stability** : Material is stable under normal conditions.
- Possibility of hazardous reactions** : Hazardous polymerization does not occur.
- Conditions to avoid** : Avoid excessive heat, sparks and open flame. Avoid contact with incompatible materials. Do not use in areas without adequate ventilation.
- Incompatible materials** : Strong oxidizing agents; Strong acids; Strong alkalis
- Hazardous decomposition products** : None known, refer to hazardous combustion products in Section 5.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

- Routes of entry inhalation** : YES
- Routes of entry skin & eye** : YES
- Routes of entry Ingestion** : YES
- Routes of exposure skin absorption** : NO

Potential Health Effects:

Signs and symptoms of short-term (acute) exposure

Sign and symptoms Inhalation

- : If product is heated or mists are formed, inhalation may cause irritation to the nose, throat and respiratory tract.

Sign and symptoms ingestion

- : Ingestion may irritate digestive tract and cause nausea, vomiting and diarrhea. Ingestion of larger amounts may cause defects to the central nervous system (e.g. dizziness, headache).

Sign and symptoms skin

- : Direct skin contact may result in little or no irritation.

Sign and symptoms eyes

- : May cause mild transient irritation.

Potential Chronic Health Effects

- : Prolonged or repeated contact may cause drying, cracking and defatting of the skin.
- Mutagenicity** : Not expected to be mutagenic in humans.
- Carcinogenicity** : No components are listed as carcinogens by ACGIH, IARC, OSHA or NTP.
- Reproductive effects & Teratogenicity**

- : Not expected to cause reproductive effects.

- Sensitization to material** : Not expected to be a skin or respiratory sensitizer.

- Specific target organ effects** : This material is not classified as hazardous under U.S. OSHA regulations (29 CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015).

Medical conditions aggravated by overexposure

- : None known.

- Synergistic materials** : Not available.

- Toxicological data** : There is no available data for the product itself, only for the ingredients. See below for individual ingredient acute toxicity data.

PROPYLENE GLYCOL USP/EP

SDS Revision Date (mm/dd/yyyy): 10/14/2024

Page 6 of 9

SAFETY DATA SHEET

<u>Chemical name</u>	<u>LC₅₀(4hr)</u>	<u>LD₅₀</u>	
	<u>inh, rat</u>	<u>(Oral, rat)</u>	<u>(Rabbit, dermal)</u>
Propylene glycol	> 158 mg/L (aerosol)	21 800 mg/kg	20 800 mg/kg

Other important toxicological hazards

: None known.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity : Not expected to be harmful to aquatic organisms. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. Do not allow material to contaminate ground water system. See the following tables for individual ingredient ecotoxicity data.

Ecotoxicity data:

<u>Ingredients</u>	<u>CAS #</u>	<u>Toxicity to Fish</u>		
		<u>LC₅₀ / 96h</u>	<u>NOEC / 21 day</u>	<u>M Factor</u>
Propylene glycol	57-55-6	46 500 mg/L (Fathead minnow)	N/Av	None.

<u>Ingredients</u>	<u>CAS #</u>	<u>Toxicity to Daphnia</u>		
		<u>EC₅₀ / 48h</u>	<u>NOEC / 21 day</u>	<u>M Factor</u>
Propylene glycol	57-55-6	43 500 mg/L (Daphnia magna)	N/Av	None.

<u>Ingredients</u>	<u>CAS #</u>	<u>Toxicity to Algae</u>		
		<u>EC₅₀ / 96h or 72h</u>	<u>NOEC / 96h or 72h</u>	<u>M Factor</u>
Propylene glycol	57-55-6	19 000 mg/L/96hr (Green algae)	N/Av	None.

Persistence and degradability

: Readily biodegradable.

Bioaccumulation potential

: No information available.

<u>Components</u>	<u>Partition coefficient n-octanol/water (log Kow)</u>	<u>Bioconcentration factor (BCF)</u>
Propylene glycol (CAS 57-55-6)	- 1.41 to - 0.3	<1

Mobility in soil : No information available.

Other Adverse Environmental effects

: No information available.

SECTION 13. DISPOSAL CONSIDERATIONS

Handling for Disposal

: Handle waste according to recommendations in Section 7.

Methods of Disposal

: Dispose in accordance with all applicable federal, state, provincial and local regulations.



Comet Chemical Company Ltd.
3463 Thomas Street
Innisfill, ON, Canada, L9S 3W4
Telephone: (705) 436 5580

PROPYLENE GLYCOL USP/EP

SDS Revision Date (mm/dd/yyyy): 10/14/2024

Page 7 of 9

SAFETY DATA SHEET

RCRA : If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.

SECTION 14. TRANSPORT INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
49CFR/DOT	None.	Not regulated.	not regulated	none	
49CFR/DOT Additional information	None.				
TDG	None.	Not regulated.	Not regulated	none	
TDG Additional information	None.				

Special precautions for user : None known or reported by the manufacturer.

Environmental hazards : This substance does not meet the criteria for an environmentally hazardous substance according to the IMDG Code. See ECOLOGICAL INFORMATION, Section 12.

SECTION 15 - REGULATORY INFORMATION

US Federal Information:

Components listed below are present on the following U.S. Federal chemical lists:

<u>Ingredients</u>	CAS #	TSCA Inventory	CERCLA Reportable Quantity(RQ) (40 CFR 117.302):	SARA TITLE III: Sec. 302, Extremely Hazardous Substance, 40 CFR 355:	SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical	
					Toxic Chemical	de Minimis Concentration
Propylene glycol	57-55-6	Yes	None.	None.	No	N/Ap

SARA TITLE III: Sec. 311 and 312 SDS Requirements, 40 CFR 370 Hazard Classes: Not a hazard under normal conditions of use.

US State Right to Know Laws:

The following chemicals are specifically listed by individual States:

<u>Ingredients</u>	CAS #	California Proposition 65		State "Right to Know" Lists					
		Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
Propylene glycol	57-55-6	No	N/Ap	No	No	Yes	Yes	Yes	Yes

PROPYLENE GLYCOL USP/EP
SDS Revision Date (mm/dd/yyyy): 10/14/2024

Page 8 of 9

SAFETY DATA SHEET

Canadian Information:

All ingredients are present on the DSL.

International Information:

Components listed below are present on the following International Inventory list:

<u>Ingredients</u>	<u>CAS #</u>	<u>European EINECS</u>	<u>Australia AICS</u>	<u>Philippines PICCS</u>	<u>Japan ENCS</u>	<u>Korea KECI/KECL</u>	<u>China IECSC</u>	<u>NewZealand IOC</u>
Propylene glycol	57-55-6	200-338-0	Present	Present	(2)-234	KE-29267	Present	May be used as a single component chemical under an appropriate group standard.

SECTION 16. OTHER INFORMATION

Legend

: ACGIH: American Conference of Governmental Industrial Hygienists
CAS: Chemical Abstract Services
CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980
CNS: Central Nervous System
COC: Cleveland Open Cup
CSA: Canadian Standards Association
DOT: Department of Transportation
EPA: Environmental Protection Agency
IARC: International Agency for Research on Cancer
LC: Lethal Concentration
LD: Lethal Dose
N/Ap: Not Applicable
N/Av: Not Available
NIOSH: National Institute of Occupational Safety and Health
NTP: National Toxicology Program
OSHA: Occupational Safety and Health Administration
PEL: Permissible exposure limit
SARA: Superfund Amendments and Reauthorization Act
STEL: Short Term Exposure Limit
TLV: Threshold Limit Values
TWA: Time Weighted Average

References

: 1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices2. ECHA - European Chemical Agency3. Canadian Centre for Occupational Health and Safety, CCIInfoWeb databases4. Safety Data Sheets from manufacturer.5. US EPA Title III List of Lists 6. California Proposition 65 List 7. OECD - The Global Portal to Information on Chemical Substances - eChemPortal

Preparation Date (mm/dd/yyyy)

: 12/21/2017

Reviewed Date SDS (dd/mm/yyyy)

: 14/10/2024

Revision No.

: 2

Revision Information

: 5. FIRE-FIGHTING MEASURES 9. PHYSICAL AND CHEMICAL PROPERTIES 15. REGULATORY INFORMATION

Other special considerations for handling

: Provide adequate information, instruction and training for operators.



Comet Chemical Company Ltd.
3463 Thomas Street
Innisfill, ON, Canada, L9S 3W4
Telephone: (705) 436 5580

PROPYLENE GLYCOL USP/EP

SDS Revision Date (mm/dd/yyyy): 10/14/2024

Page 9 of 9

SAFETY DATA SHEET

<u>Prepared for:</u> Comet Chemical Company Ltd. 3463 Thomas Street Innisfill, ON L9S 3W4 Information (M-F 8:00-5:00): 705-436-5580 www.cometchemical.com	
<u>Prepared by:</u> ICC The Compliance Center Inc. Telephone: (888) 442-9628 (U.S.): (888) 977-4834 (Canada) http://www.thecompliancescenter.com	

DISCLAIMER

This Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by / obtained from Comet Chemical Company Ltd. and CCOHS' Web Information Service. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Comet Chemical Company Ltd. expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Comet Chemical Company Ltd.

END OF DOCUMENT